JACKSON COUNTY Oregon

TAX RATES FOR TAX YEAR 2009-2010

Note: These rates are before any Measure 5 compression; therefore they may not apply to every property ***10-06-09***

TAX	CONS	COUNTY		MUNICIPALITY			RCC		ESD	School District			Vector	RVTD	JC	Fire District			LOCAL	Mfr/Tal/Jvlle/Phx UR	
CODE	RATE	RATE	BOND	NAME	RATE	BOND	RATE	BOND	RATE	NAME	RATE	BOND	RATE	RATE	soil wtr	NAME	RATE	BOND	LEVY	Div Tax	Spec Levy
0101	12.6546	1.9084	0.3395	JVLE	1.7487	0.6713	0.4869	0.1150	0.3346	549C	4.1894	2.0444	0.0408	0.1683	0.0475					0.5598	
0102	12.6546	1.9084	0.3395	JVLE	1.7487	0.6713	0.4869	0.1150	0.3346	549C	4.1894	2.0444	0.0408	0.1683	0.0475					0.5598	
0401	15.5974	1.8882	0.3359	PHX	3.4254		0.4818	0.1150	0.3311	4	3.9852	0.8395	0.0404	0.1665	0.0470	5	3.0039			0.9375	
0403	11.2473	2.0099	0.3575				0.5128	0.1150	0.3524	4	4.2422	0.8936	0.0429	0.1772	0.0500	2	2.4938				
0405	11.2473	2.0099	0.3575				0.5128	0.1150	0.3524	4	4.2422	0.8936	0.0429	0.1772	0.0500	2	2.4938				
0407	14.5085	1.9452	0.3460	MFR	5.1247	0.0742	0.4963	0.1150	0.3411	4	4.2422	0.8936	0.0416	0.1715	0.0484					0.2832	0.3855
0408	11.9511	2.0099	0.3575				0.5128	0.1150	0.3524	4	4.2422	0.8936	0.0429	0.1772	0.0500	5	3.1976				
0410	8.7535	2.0099	0.3575				0.5128	0.1150	0.3524	4	4.2422	0.8936	0.0429	0.1772	0.0500						
0416	11.7739	2.0099	0.3575				0.5128	0.1150	0.3524	4	4.2422	0.8936	0.0429		0.0500	5	3.1976				
0417	8.5763	2.0099	0.3575				0.5128	0.1150	0.3524	4	4.2422	0.8936	0.0429		0.0500						
0419	15.5974	1.8882	0.3359	PHX	3.4254		0.4818	0.1150	0.3311	4	3.9852	0.8395	0.0404	0.1665	0.0470	5	3.0039			0.9375	
0425	11.0701	2.0099	0.3575				0.5128	0.1150	0.3524	4	4.2422	0.8936	0.0429		0.0500	2	2.4938				
0426	11.2473	1.8882	0.3359				0.4818	0.1150	0.3311	4	3.9852	0.8395	0.0404	0.1665	0.0470	2	2.4665			0.5502	
0427	11.2473	1.8882	0.3359				0.4818	0.1150	0.3311	4	3.9852	0.8395	0.0404	0.1665	0.0470	2	2.4665			0.5502	
0428	15.5974	1.8882	0.3359	PHX	3.4254		0.4818	0.1150	0.3311	4	3.9852	0.8395	0.0404	0.1665	0.0470	5	3.0039			0.9375	
0429	15.5974	1.8882	0.3359	PHX	3.4254		0.4818	0.1150	0.3311	4	3.9852	0.8395	0.0404	0.1665	0.0470	5	3.0039			0.9375	
0501	15.6568	2.0099	0.3575	ASH	4.1973	0.1991	0.5128	0.1150	0.3524	5	4.1601	2.0026	0.0429	0.1772	0.0500				1.4800		
0502	10.8932	2.0099	0.3575				0.5128	0.1150	0.3524	5	4.1601	2.0026	0.0429		0.0500				1.2900		
0504	14.0908	2.0099	0.3575				0.5128	0.1150	0.3524	5	4.1601	2.0026	0.0429		0.0500	5	3.1976		1.2900		
0508	14.2680	2.0099	0.3575				0.5128	0.1150	0.3524	5	4.1601	2.0026	0.0429	0.1772	0.0500	5	3.1976		1.2900		
0511	11.0704	2.0099	0.3575				0.5128	0.1150	0.3524	5	4.1601	2.0026	0.0429	0.1772	0.0500				1.2900		
0515	15.4796	2.0099	0.3575	ASH	4.1973	0.1991	0.5128	0.1150	0.3524	5	4.1601	2.0026	0.0429		0.0500				1.4800		
0517	12.8387	2.0099	0.3575				0.5128	0.1150	0.3524	5	4.1601	2.0026	0.0429		0.0500	COL	1.9455		1.2900		
0601	14.5439	2.0099	0.3575	GH	1.6792	0.7387	0.5128	0.1150	0.3524	6	4.4134	1.1527	0.0429		0.0500	3	3.1194		0.0000		
0602	16.7732	2.0099	0.3575	CP	4.4700		0.5128	0.1150	0.3524	6	4.4134	1.1527	0.0429	0.1772	0.0500	3	3.1194				
0603	9.0066	2.0099	0.3575				0.5128	0.1150	0.3524	6	4.4134	1.1527	0.0429		0.0500						
0604	12.1260	2.0099	0.3575				0.5128	0.1150	0.3524	6	4.4134	1.1527	0.0429		0.0500	3	3.1194				
0610	11.7225	2.0099	0.3575				0.5128	0.1150	0.3524	6	4.4134	1.1527	0.0429		0.0500	1	1.9313	0.2846	0.5000		
0614	11.6749	2.0099	0.3575	WC	2.4911		0.5128	0.1150	0.3524	6	4.4134	1.1527	0.0429	0.1772	0.0500						
0625	9.1838	2.0099	0.3575				0.5128	0.1150	0.3524	6	4.4134	1.1527	0.0429	0.1772	0.0500						
0628	12.3032	2.0099	0.3575				0.5128	0.1150	0.3524	6	4.4134	1.1527	0.0429	0.1772	0.0500	3	3.1194				
0630	14.6171	2.0099	0.3575	WC	2.4911		0.5128	0.1150	0.3524	6	4.4134	1.1527	0.0429		0.0500	3	3.1194				
0631	14.7943	2.0099	0.3575	WC	2.4911		0.5128	0.1150	0.3524	6	4.4134	1.1527	0.0429	0.1772	0.0500	3	3.1194				
0632	11.6749	2.0099	0.3575	WC	2.4911		0.5128	0.1150	0.3524	6	4.4134	1.1527	0.0429	0.1772	0.0500						
0633	14.7943	2.0099	0.3575	WC	2.4911		0.5128	0.1150	0.3524	6	4.4134	1.1527	0.0429	0.1772	0.0500	3	3.1194				
0635	14.9388	1.9452	0.3460	MFR	5.1247	0.0742	0.4963	0.1150	0.3411	6	4.4134	1.1527	0.0416	0.1715	0.0484					0.2832	0.3855
0901	15.6004	2.0099	0.3575	EP	2.4584	0.2588	0.5128	0.1150	0.3524	9	4.7170	1.6063	0.0429		0.0500	3	3.1194				
0902	9.7638	2.0099	0.3575				0.5128	0.1150	0.3524	9	4.7170	1.6063	0.0429		0.0500						

*WC LAW ENF = 2.0211
*WC LIGHTING = .4700

TAX	CONS	COUNTY		MUNICIPALITY			RCC		ESD	School District			Vector	RVTD	JC	Fire District			LOCAL	Mfr/Tal/Jvlle/Phx UR	
CODE	RATE	RATE	BOND	NAME	RATE	BOND	RATE	BOND	RATE	NAME	RATE	BOND	RATE	RATE	soil wtr	NAME	RATE	BOND	LEVY	Div Tax	Spec Levy
0903	13.0604	2.0099	0.3575				0.5128	0.1150	0.3524	9	4.7170	1.6063	0.0429	0.1772	0.0500	3	3.1194				
0906	11.7819	2.0099	0.3575				0.5128	0.1150	0.3524	9	4.7170	1.6063	0.0429		0.0500	4	2.0181				
0908	9.9410	2.0099	0.3575				0.5128	0.1150	0.3524	9	4.7170	1.6063	0.0429	0.1772	0.0500						
0909	13.0604	2.0099	0.3575				0.5128	0.1150	0.3524	9	4.7170	1.6063	0.0429	0.1772	0.0500	3	3.1194				
0915	12.7021	2.0099	0.3575	SC	0.5474	0.3728	0.5128	0.1150	0.3524	9	4.7170	1.6063	0.0429		0.0500	4	2.0181				
0916	9.9410	2.0099	0.3575				0.5128	0.1150	0.3524	9	4.7170	1.6063	0.0429	0.1772	0.0500						
0919	12.8832	2.0099	0.3575				0.5128	0.1150	0.3524	9	4.7170	1.6063	0.0429		0.0500	3	3.1194				
0921	11.2378	2.0099	0.3575				0.5128	0.1150	0.3524	9	4.7170	1.6063	0.0429		0.0500	LKCRK	1.4740				
0922	15.7776	2.0099	0.3575	EP	2.4584	0.2588	0.5128	0.1150	0.3524	9	4.7170	1.6063	0.0429	0.1772	0.0500	3	3.1194				
0923	12.2576	2.0099	0.3575				0.5128	0.1150	0.3524	9	4.7170	1.6063	0.0429		0.0500	2	2.4938				
0924	15.5515	2.0099	0.3575	WC	2.4911		0.5128	0.1150	0.3524	9	4.7170	1.6063	0.0429	0.1772	0.0500	3	3.1194				
0925	12.4321	2.0099	0.3575	WC	2.4911		0.5128	0.1150	0.3524	9	4.7170	1.6063	0.0429	0.1772	0.0500						
0926	15.5515	2.0099	0.3575	WC	2.4911		0.5128	0.1150	0.3524	9	4.7170	1.6063	0.0429	0.1772	0.0500	3	3.1194				
0927	15.7776	2.0099	0.3575	EP	2.4584	0.2588	0.5128	0.1150	0.3524	9	4.7170	1.6063	0.0429	0.1772	0.0500	3	3.1194				
2201	16.5905	1.7232	0.3065	TAL	2.7705	0.1889	0.4397	0.1150	0.3022	4	3.6369	0.7661	0.0368	0.1520	0.0429	5	2.7406			2.1503	1.2189
2206	16.5905	1.7232	0.3065	TAL	2.7705	0.1889	0.4397	0.1150	0.3022	4	3.6369	0.7661	0.0368	0.1520	0.0429	5	2.7406			2.1503	1.2189
3501	14.8170	2.0099	0.3575	RR	3.1492	0.4810	0.5128	0.1150	0.3524	35	4.0787	0.9517	0.0429		0.0500	1	1.9313	0.2846	0.5000		
3502	8.4709	2.0099	0.3575				0.5128	0.1150	0.3524	35	4.0787	0.9517	0.0429		0.0500						
3503	11.1868	2.0099	0.3575				0.5128	0.1150	0.3524	35	4.0787	0.9517	0.0429		0.0500	1	1.9313	0.2846	0.5000		
4001	7.7169	2.0099	0.3575				0.5128	0.1150	0.3524	40	3.7262	0.5502	0.0429		0.0500						
4002	10.2456	2.0099	0.3575				0.5128	0.1150	0.3524	40	3.7262	0.5502	0.0429		0.0500	9	1.6787		0.8500		
4901	15.8609	1.9452	0.3460	MFR	5.1247	0.0742	0.4963	0.1150	0.3411	549C	4.2550	2.0537	0.0416	0.1715	0.0484					0.4627	0.3855
4903	12.5997	2.0099	0.3575				0.5128	0.1150	0.3524	549C	4.4123	2.0759	0.0429	0.1772	0.0500	2	2.4938				
4905	12.5997	2.0099	0.3575				0.5128	0.1150	0.3524	549C	4.4123	2.0759	0.0429	0.1772	0.0500	2	2.4938				
4910	12.5997	2.0099	0.3575				0.5128	0.1150	0.3524	549C	4.4123	2.0759	0.0429	0.1772	0.0500	2	2.4938				
4915	13.2253	2.0099	0.3575				0.5128	0.1150	0.3524	549C	4.4123	2.0759	0.0429	0.1772	0.0500	3	3.1194				
4916	9.9287	2.0099	0.3575				0.5128	0.1150	0.3524	549C	4.4123	2.0759	0.0429		0.0500						
4919	13.2253	2.0099	0.3575				0.5128	0.1150	0.3524	549C	4.4123	2.0759	0.0429	0.1772	0.0500	3	3.1194				
4920	13.3035	2.0099	0.3575				0.5128	0.1150	0.3524	549C	4.4123	2.0759	0.0429	0.1772	0.0500	5	3.1976				
4930	10.1059	2.0099	0.3575				0.5128	0.1150	0.3524	549C	4.4123	2.0759	0.0429	0.1772	0.0500						
4939	12.4225	2.0099	0.3575				0.5128	0.1150	0.3524	549C	4.4123	2.0759	0.0429		0.0500	2	2.4938				
4940	13.0481	2.0099	0.3575				0.5128	0.1150	0.3524	549C	4.4123	2.0759	0.0429		0.0500	3	3.1194				
4941	13.1263	2.0099	0.3575				0.5128	0.1150	0.3524	549C	4.4123	2.0759	0.0429		0.0500	5	3.1976				
4946	12.4574	2.0099	0.3575				0.5128	0.1150	0.3524	549C	4.4123	2.0759	0.0429		0.0500	9	1.6787		0.8500		
4947	12.6346	2.0099	0.3575				0.5128	0.1150	0.3524	549C	4.4123	2.0759	0.0429	0.1772	0.0500	9	1.6787		0.8500		
4949	17.6953	2.0099	0.3575	CP	4.4700		0.5128	0.1150	0.3524	549C	4.4123	2.0759	0.0429	0.1772	0.0500	3	3.1194				
4950	15.8609	1.9452	0.3460	MFR	5.1247	0.0742	0.4963	0.1150	0.3411	549C	4.2550	2.0537	0.0416	0.1715	0.0484					0.4627	0.3855
5901	7.8033	2.0099	0.3575				0.5128	0.1150	0.3524	59	4.3628	0.0000	0.0429		0.0500						
5902	8.7935	2.0099	0.3575				0.5128	0.1150	0.3524	59	4.3628	0.0000	0.0429		0.0500	PROSP	0.9902				
6202	10.1214	2.0099	0.3575				0.5128	0.1150	0.3524	35	4.0787	0.9517	0.0429		0.0500	6	1.2905		0.3600		
9101	15.2648	2.0099	0.3575	BF	7.2494		0.5128	0.1150	0.3524	91	4.5749		0.0429		0.0500						
9102	8.0154	2.0099	0.3575				0.5128	0.1150	0.3524	91	4.5749		0.0429		0.0500						
9104	10.0335	2.0099	0.3575				0.5128	0.1150	0.3524	91	4.5749		0.0429		0.0500	4	2.0181				
9105	9.4894	2.0099	0.3575				0.5128	0.1150	0.3524	91	4.5749		0.0429		0.0500	LKCRK	1.4740				
9401	8.2640	2.0099	0.3575				0.5128	0.1150	0.3524	94	4.8235		0.0429		0.0500						
9402	11.4616	2.0099	0.3575				0.5128	0.1150	0.3524	94	4.8235		0.0429		0.0500	5	3.1976				

*WC LAW ENF = 2.0211
*WC LIGHTING = .4700