


FOR  $d > 12"$  USE "INTERMEDIATE INLET"

PLAN - AREA INLET

SEE "STANDARD GRATE" DETAIL DRAWING

GRATE ELEV = \*

GROUT FLUSH WITH PIPE




NOTES:

1. 3/4" PREFORMED JOINT FILLER MATERIAL TO BE USED AS SPECIFIED BY THE ENGINEER, ONLY IN CONCRETE PAVEMENT OR GUTTER, AND TO EXTEND THROUGH THICKNESS OF CONCRETE.
2. FOR GRATE DETAILS SEE STANDARD DETAIL DRAWING.
3. COMMERCIALY AVAILABLE INLET MAY BE SUBSTITUTED PROVIDED IT IS TRAFFIC RATED, WILL MEET OTHER DESIGN REQUIREMENTS, AND IS APPROVED BY THE ENGINEER. PROPOSED SUBSTITUTION SHALL BE SUBMITTED A MINIMUM OF 2 WEEKS PRIOR TO INSTALLATION.

ELEVATION - AREA INLET SECTION A-A

\* ELEVATIONS AS DIRECTED BY ENGINEER

Date	By	Revision
1/2002	TMJ	
07/2003	TCM	



**JACKSON COUNTY**  
Roads

JACKSON COUNTY ROADS

DALE W. PETRASEK, P.E.  
COUNTY ENGINEER

STANDARD AREA INLET

I:\Engineering\Library\County\English\InletArea.dwg

SHEET 1 OF 1 SCALE: NO SCALE